

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application.

**COMPLETE LISTING OF THE CLAIMS:**

Claims 1-21 : (Canceled)

Claim 22 : (New) A data collection module, comprising:

- a) a support having a parallelepiped shape;
- b) a radio frequency (RF) reader supported by the support, and operative for interrogating an RF resonant element associated with a target by transmitting RF energy to the resonant element, and for reading RF data relating to the target from the interrogated element by detecting RF energy transmitted by the resonant element to generate an RF data signal;
- c) a magnetic stripe reader supported by the support, and operative for sensing magnetically encoded data in a stripe on a card, and for reading the encoded data to generate a magnetically encoded data signal;
- d) a single common digitizer shared by the RF reader and the stripe reader for digitizing the RF and magnetically encoded data signals into RF and magnetically encoded digital signals, respectively;
- e) a bar code symbol reader supported by the support, and operative for reading a bar code symbol to generate a digital symbol signal; and

f) a central processing unit supported by the support, and operative for receiving and processing all the digital signals, and for outputting all the processed signals through a common output interface.

Claim 23 : (New) A data collection terminal, comprising:

a) a hand-held housing;

b) a support supported by the housing and having a parallelepiped shape;

c) a radio frequency (RF) reader supported by the support, and operative for interrogating an RF resonant element associated with a target by transmitting RF energy to the resonant element, and for reading RF data relating to the target from the interrogated element by detecting RF energy transmitted by the resonant element to generate an RF data signal;

d) a magnetic stripe reader supported by the support, and operative for sensing magnetically encoded data in a stripe on a card, and for reading the encoded data to generate a magnetically encoded data signal;

e) a single common digitizer shared by the RF reader and the stripe reader for digitizing the RF and magnetically encoded data signals into RF and magnetically encoded digital signals, respectively;

f) a bar code symbol reader supported by the support, and operative for reading a bar code symbol to generate a digital symbol signal; and

g) a central processing unit supported by the support, and operative for receiving and processing all the digital signals, and for outputting all the processed signals through a common output interface.